



Larsen Dairies

Partners in Excellence

Larsen Dairies Rapid Release

Rapid Parallel Stalling

Built for the rigors of time



RAPID RELEASE SYSTEM INFORMATION

Larsen Dairies Rapid Release systems incorporate the very best in manufacturing technology and design to create a product for commercial herd applications.

Larsen Dairies Rapid Release systems are built not only for strength, durability and ease of maintenance but most importantly for efficiency of operation.



down position



up position

Larsen Dairies Rapid Release Systems are made from sections of 5 or 6 bail units allowing the flexibility of parlor size.

Manure Trays:

Manure trays can be fitted to the A-Frame to help maintain a clean working environment.



Feed Troughs:

Feed troughs can be incorporated into Larsen Dairies Rapid Release Systems with the option of plastic or stainless steel. Feed troughs provide the farmer with the flexibility to feed their herd while milking.



Milk Plant options

The majority of Rapid Release Systems employ double-up milk plants but a swing over fit out can be considered a very efficient option with the ability to upgrade to a double-up plant at a later stage.





Ease of Installation:
Larsen Dairies Rapid Release Systems are designed to be totally modular allowing for very fast onsite installation. The structure is self supporting and independent of the building.



Hydraulics:
Each side of the parlor is independently operated. The hydraulic system operates well within its design parameters at approximately one third of its capacity.



Larsen Dairies Entry Gates:
Larsen Dairies Entry Gates can be operated manually from in the pit allowing for full control over the cow and can be run pneumatically off a separate air compressor.



Laser Components:
Wherever possible, Larsen Dairies Rapid Release Systems use laser cut components to ensure standardization and repeatable quality for an uncomplicated installation.

Pit:
Larsen Dairies Rapid Release Systems are designed around a pit width of 1.8 to 3 meter to allow operators the freedom of movement and space.

Cabinets:
All automation, sensors and electronics can be installed behind an optional stainless steel Cabinet. Its tapered design maximizes head room for operators and makes servicing easy.

A-Frames:
Larsen Dairies A-Frames are free standing with breech and kick rails supplied as standard. Their design allows for optional manure trays as well as cabinets to be fitted.






Larsen Dairies

Partners in Excellence

PRODUCTS GLOBALLY EXPORTED



your dealer:



Greg: +61 04 37791215

Matt: +61 04 00434607

Dave: +61 04 36202 289

Address: 23 Muller Street

Wodonga VIC

Australia 3690

Email: gdkinross@gmail.com